




SEARCH HISTORY

=> d stat que 15; d his nofile
L2 STR



VAR G1=23/42

REP G2=(0-5) C

REP G3=(1-5) C

NODE ATTRIBUTES:

CONNECT IS E2 RC AT 24

CONNECT IS E1 RC AT 27

CONNECT IS E1 RC AT 28

DEFAULT MLEVEL IS ATOM

MLEVEL IS CLASS AT 24 27 28

GGCAT IS UNS AT 24

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 43

STEREO ATTRIBUTES: NONE

L5 7 SEA FILE=REGISTRY SSS FUL L2

100.0% PROCESSED 9053 ITERATIONS

7 ANSWERS

SEARCH TIME: 00.00.01

(FILE 'HOME' ENTERED AT 15:54:54 ON 15 JAN 2008)

FILE 'CAPLUS' ENTERED AT 15:55:08 ON 15 JAN 2008

E US2005-536903/APPS

E US2006-536903/APPS

E US2005-530903/APPS

L1 1 SEA ABB=ON US2005-530903/AP
D SCAN

FILE 'REGISTRY' ENTERED AT 15:57:17 ON 15 JAN 2008

L2 STR

L3 0 SEA SSS SAM L2

L4 9053 SEA SSS FUL L2 EXTEND

L5 7 SEA SSS FUL L2

SAVE TEMP L5 QAZ903FULL/A

FILE 'CAPLUS' ENTERED AT 16:06:39 ON 15 JAN 2008
L6 2 SEA ABB=ON L5
L7 9769 SEA ABB=ON YAMADA S?/AU
L8 8029 SEA ABB=ON SHIMIZU M?/AU
L9 3181 SEA ABB=ON MIYAMOTO Y?/AU
L10 2 SEA ABB=ON (L7 OR L8 OR L9) AND L6

FILE 'MARPAT' ENTERED AT 16:07:32 ON 15 JAN 2008
L11 0 SEA SSS SAM L2
L12 370 SEA SSS FUL L2 EXTEND
L13 1 SEA SSS FUL L2
D SCAN

FILE 'CASREACT' ENTERED AT 16:08:29 ON 15 JAN 2008
L14 1 SEA ABB=ON L5
D SCAN

FILE 'STNGUIDE' ENTERED AT 16:09:15 ON 15 JAN 2008

FILE 'REGISTRY' ENTERED AT 16:09:34 ON 15 JAN 2008
D STAT QUE L5

FILE 'CAPLUS' ENTERED AT 16:10:17 ON 15 JAN 2008
D QUE NOS L6

FILE 'MARPAT' ENTERED AT 16:10:18 ON 15 JAN 2008
D QUE NOS L13

FILE 'CASREACT' ENTERED AT 16:10:18 ON 15 JAN 2008
D QUE NOS L14

FILE 'CAPLUS, MARPAT, CASREACT' ENTERED AT 16:10:24 ON 15 JAN 2008
L15 2 DUP REM L10 L13 L14 (2 DUPLICATES REMOVED)
ANSWERS '1-2' FROM FILE CAPLUS
D IBIB ABS HITSTR L15 1-2

FILE 'HOME' ENTERED AT 16:10:40 ON 15 JAN 2008
D STAT QUE L5

=>

=> fil reg; d stat que 15

FILE 'REGISTRY' ENTERED AT 16:09:34 ON 15 JAN 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 JAN 2008 HIGHEST RN 960583-85-1

DICTIONARY FILE UPDATES: 14 JAN 2008 HIGHEST RN 960583-85-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007




Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

L2

STR



VAR G1=23/42

REP G2=(0-5) C

REP G3=(1-5) C

NODE ATTRIBUTES:

CONNECT IS E2 RC AT 24

CONNECT IS E1 RC AT 27

CONNECT IS E1 RC AT 28

DEFAULT MLEVEL IS ATOM

MLEVEL IS CLASS AT 24 27 28

GGCAT IS UNS AT 24

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 43